DAFTAR PUSTAKA

Anonim. 2003, Tapioca:Nature of cassava, Http: // foodmarketexchange. com/ datacenter/ product/ feedstuff/ tapioca/ detail/ dc_ pi _ ft_ tapioca_ 0205. htm #. Diakses 29 april 2016

Asnawi, *et al* . 2008. Teknologi Budidaya Ubi Kayu. Badan Penelitian Dan Pengembangan Pertanian. Bogor.

Bellotti, *et al*. 2003. Biological control in the neotropics: aselective review with emphasis on cassava. *Biologic Contr Arthrop.* Hlm 206-277.

Calatayud PA, Le Rü B. 2006. *Cassava Mealybug*-Interaction. Paris (FR): IRD Editions.

Catherine. 2007. Chemically-Mediated Attraction Of Three Parasitoid Species To Mealybug-Infested Cassava Leaves. Plant Sciences Institute, Applied Entomology, ETH (Swiss Federal Institute of Technology), CH-8092 Zurich, Switzerland.

Diandro R. Barilli, et al. 2014. Biological Characteristics Of The Cassava Mealybug *Phenacoccus Manihoti (Hemiptera: Pseudococcidae).* Revista Colombiana De Entomología 40 (1). Colombia.

Djunaidy, M. 2013. Universitas Jember Gagas Republik Singkong. https:// tempo. co/ read/ news/ 2013/ 03 / 21 / 079468442/ uni

Eng Seng. B.M. 2012. Disaster cassava mealybug. versitas- jember gagas-republik- singkong. Diakses 27 april 2016. 216/5 LPNTower 7th Floor, Nanglinchee Road, Chongnonsee, Yannawa, Bangkok.

Hasriyanty, D.Buchori dan Pujianto, 2007. Efisiensi Pemarasitan Parasitoid *Trichogramma chilotraeae* Nagaraja dan Nagarkatti (Hymenoptera: Trichogramatidae) pada berbagai kepadatan inang dan kepadatan parasitoid. *J. Entomol. Indon.2(4):60-65.*

Herren , H. R., & Lema, K. M. (1982). CMB- first successful releascs.-Biocontrol. News and information.

Hidrayani, *et al.* 2009. Preferensi dan tanggap fungsional parasitoid *hemiptarsenus varicornis* (Girault) (Hymenoptera : eulophidae) Pada larva lalat penggorok daun kentang. Program Studi Agroekoteknologi, Fakultas Pertanian USU Medan 20155.

Karyani. 2015. Pengujian Kesesuaian Inang Parasitoid *Anagyrus Lopezi De Santis (Hymenoptera: Encyrtidae)*Terhadap Kutu Putih Yang Berasosiasi Dengan

Ubi Kayu *(Manihot Esculenta Crantz).* Sekolah Pascasarjana institut Pertanian Bogor.

Kusuma, D, R. 2013. Bustanul ArifinSebut RI Jadi Importir Ubi Kayu Terbesar di Dunia. Detik finance . detik . com.

Mosamandiri, 2016. Macam- macam bibit unggul ketela pohon. http: // agrokompleks kita. Com / author / mosamandiri. diakses 27 April 2016.

Neuenschwander P. 2001. Biological control of the cassava mealbung in Africa. Director General,International Institute of Tropical Agriculture,Oyo Road, PMB 5320, Ibadan, Nigeria.

Nurmasari, F. 2015. Keanekaragaman Kutu Putih Dan Musuh Alami Pada Tanaman Singkong *(Manihot Esculenta Crantz).* Program Studi Magister Biologi Jurusan Biologi Fakultas Matematika Dan Ilmu Pengetahuan Alam Universitas Jember.

Saputro, AR. 2013. Biologi dan potensi penigkatan populasi kutu putih singkong, *Phenacoccus manihoti,* Matile- Ferrero (Hemiptera: Pseudococcidae): Hama pendatang baru di Indonesia .Bogor (ID). Institut Pertanian Bogor.

Souissi. 1999. The Influence of the Host Plant of the Cassava Mealybug *Phenacoccus manihoti* on the Plant and Host Preferences of Its *Parasitoid Apoanagyrus lopezi.* Parasitoid insects Ecology Laboratory, Universite 'de Rennes, Campus de Beaulieu, 35042 Rennes Cedex, France.

Sundari, Titik. 2010. Pengenalan Varietas Unggul dan Teknik Budidaya Ubi kayu (Materi Pelatihan Agribisnis bagi KMPH). Balai Penelitian Kacang Kacangan dan Umbi Umbian, Malang.

Tobing, M.C. Suzanna F.S. dan Ida R.S. 2009. Kemampuan Parasit *Tetrastichus brontispae* (Hymenoptera.; Eulophidae) Dalam Memarasit *Brontispa longissima* (Cleoprera : Chrysomelidae) Dalam Prosiding Nasional Perlindungan Tanaman. Bogor. 5-6 Agustus 2009. Hlm.1-10.

Utomo,Y ,W. 2014. Serangan kutu putih bikin Indonesia tekor 900 milyar. Kompas.com. http: // sains. kompas. com/ read / 2014 / 09/ 24/ 2010024. Dikses 27 April 2016.

Wardani, *et al*. 2014. Parameter Neraca Hayati Dan Pertumbuhan Populasi Kutu Putih *Phenacoccus Manihoti Matile-Ferrero (Hemiptera: Pseudococcidae)* Pada Dua Varietas Ubi Kayu. Departemen Proteksi Tanaman, Fakultas Pertanian, Institut Pertanian Bogor, Bogor.

Wargiono, J. 1979. Ubi kayu dan Cara Bercocok Tanam. Buletin Teknik no.4.36p. Bogor: Lembaga Pusat Penelitian Pertanian Bogor.

Winotai A. 2014. Biological control of pink cassava melybug in Thailand. Plant protetection research and development.

Wyckhuys KAG, *et al*. 2014. Parasitoids Introduced Into Indonesia:Par of a Region-wide Campaign to tackle Emerging Cassava Pests and Diseases. Biocontrol News Inf. 35 (4): 35-38.